



THERMAL MANAGEMENT SYSTEMS FOR ELECTRIC VEHICLES: NANO-ENHANCED MATERIALS, SMART THERMAL CONTROL, AND THERMAL RUNAWAY MITIGATION

D. Kameswara Rao¹, K.Ankamma²,

S. Madav Reddy³, B.Ramakrishna⁴

^{1,2,3,4}Dept. of Mechanical Engineering, MGIT, Hyderabad, 500075.

ABSTRACT:

With the increasing use of electric vehicles (EVs), the need for efficient Battery Thermal Management System (BTMS) is also increasing to maintain the safety, thermal stability, charging efficiency and extended operational life of the battery. Lithium-ion batteries are highly sensitive to temperature changes, high power operation and fast charging will generate a lot of heat that can speed up battery degradation, reduce energy efficiency and increase the risk of thermal runaway. Thus, better thermal management technologies are required for reliable operation of next generation EV battery systems. This paper presents a comprehensive review of the recent progresses in battery thermal management technology, with special focus on hybrid cooling systems, nano structured thermal materials and thermal runaway mitigation strategies. In this paper a comprehensive review of the conventional cooling techniques, such as air and liquid cooling, and the developing technologies, such as nanoenhanced phase change materials (PCM), metal-foam-assisted thermal structures, heat pipe cooling, immersion cooling, and hybrid cooling systems, is presented. Recent advances in thermal monitoring systems, battery diagnostics, and improved temperature control technologies are also presented. Furthermore, the paper highlights the importance of thermal barrier materials, self-healing thermal composites, and environmentally sustainable dielectric fluids for enhancing battery safety and thermal stability . A comparative assessment of various cooling solutions is provided in aspects of cooling effectiveness, temperature uniformity, system complexity, energy consumption, thermal runaway protection and practical implementation. This paper identifies major research challenges related to the long-term durability of nano-enhanced PCM materials, large-scale implementation of immersion cooling systems, and thermal management requirements of solid-state batteries. The review concludes that hybrid cooling systems incorporating nano-enhanced PCM materials, immersion



cooling technologies, heat pipes and advanced thermal monitoring techniques have enormous potential to improve the safety, efficiency and performance of future electric vehicle battery systems. Future work should address sustainable thermal materials, compact cooling structures and integrated thermal-energy management strategies for next generation electric transportation.

Keywords: Electric Vehicles, Lithium-Ion Battery, Battery Thermal Management System, NanoEnhanced Phase Change Materials, Hybrid Cooling Systems, Immersion Cooling

1. INTRODUCTION

The rapid development of electric transportation has accelerated the development of improved lithium-ion battery technology. The modern electric vehicles need battery systems with high energy density, fast charging, longer service life and better operating safety. However, battery performance is very sensitive to the operating temperature. Heat generated during the charging and discharging processes can speed up battery aging, lower efficiency, reduce battery life and raise safety concerns about thermal runaway from excessive heat.

Traditional techniques for battery thermal management, such as air and liquid cooling, have been widely used in commercial electric vehicles. But growing demand for high-capacity battery packs, ultra-fast charging and smaller vehicle designs has revealed the shortcomings of existing cooling methods. Therefore, present study has focused on advanced thermal management systems which combine multiple cooling techniques, nano-enhanced thermal materials and advance sensing techniques to enhance the thermal performance. This work reviews the recent advances in the battery thermal management technology published from 2023 to 2026, and discusses the future directions for improving the thermal safety and operational performance of the next-generation electric car batteries.

2. LITERATURE SURVEY :

2.1 Advances in battery thermal management system

The Battery Thermal Management Systems (BTMS) has been greatly evolved in the context of the increasing battery energy density, charging rate and thermal load of modern electric vehicles. To ensure good performance, safe operation and long service life, it is critical that the batteries be maintained at the recommended operating temperature range of 20–40°C. Traditional cooling technologies have been slowly evolving towards better thermal management strategies such as phase change materials, heat pipes, immersion cooling systems, nanofluids and better thermal monitoring techniques. Akkus and Isik [1] presented a comprehensive review on lithium-ion battery thermal management methods and



indicated that liquid cooling systems can achieve better thermal control than conventional air-cooling methods, especially under high-rate charging conditions. Murugan et al. [4] also found that the optimized coolant flow distribution and the improved cooling channel topologies have a significant influence on the increased temperature uniformity and battery reliability. Hybrid thermal management systems have gained much interest due to their ability to combine the merits of various cooling approaches. Awasthi et al. [2] reported that the phase change material assisted liquid cooling systems significantly reduced the peak battery temperature and increased the thermal stability at high power operating conditions. Similarly, Waseem et al. [3] found that hybrid cooling systems are one of the most promising alternatives for future electric car battery applications with better heat dissipation and temperature regulation capabilities. The main research issue of battery cooling applications is the thermal materials enhancement by nano technology. It is shown in studies that the addition of graphene nano platelets, carbon nano tubes, expanded graphite and metal oxide nanoparticles to traditional phase change materials significantly improves their thermal conductivity and heat storage properties. These materials help to more evenly distribute the temperature and fluctuate the thermal during the operation of the battery. Immersion cooling technology has become a very effective thermal management solution due to its superior heat transfer capability. Tai et al. [5] have shown that the dielectric-fluid immersion cooling system can remove heat at higher rates and show better temperature uniformity than traditional liquid-cooling systems. In addition, the potential application of immersion cooling has demonstrated promising prospect for the reduction of thermal runaway propagation while facilitating high-rate charging operation.

One of the big challenges in electric car technology is battery safety. Alawi et al. [6] pointed out that thermal runaway still is a critical issues for high energy density lithium-ion batteries. We are currently looking at thermal barrier materials, fire resistant separators, aerogel insulation layers and better algorithms for fault monitoring that can detect abnormal thermal conditions before they become failures. Recent studies also show an increasing interest in improved battery monitoring systems for continuous assessment of thermal conditions , battery health and operating parameters . These technologies help improve temperature regulation and reduce the energy consumption for cooling operations. Moreover, the thermal management of solid-state batteries has become an important research field. Solid state batteries have higher energy density and safety, but their thermal behavior is very different from conventional lithium ion batteries. We are exploring interfacial thermal resistance, the development of thermal stress and specific cooling topologies for future solid-state battery technology. Overall, the present research indicates a distinct shift from conventional cooling technologies to hybrid thermal management systems like nano-engineered thermal materials, immersion cooling technologies,



enhanced thermal monitoring systems and augmented safety procedures. Such innovations will likely improve greatly the thermal performance, safety and reliability of future EV battery systems.

2.2 VOLUTION OF BATTERY THERMAL MANAGEMENT SYSTEMS

Battery thermal management system has been developed from simple passive cooling methods to sophisticated intelligent thermal control platform. In the early days of electric vehicle batteries, heat dissipation was by natural air flow. The improved thermal performance with the increased battery capacity resulted in the development of forced-air and liquid cooling methods. Recent breakthroughs in phase change materials, heat pipes, immersion cooling technologies and nano-engineered thermal structures can keep the battery temperature in a narrow operating window. Current trends of research are focused on intelligent hybrid systems which can adapt their thermal behavior to the changing operating conditions in real time.

3.0 NANO-ENGINEERED THERMAL MATERIALS FOR BATTERY COOLING

3.1 Nano-Enhanced Phase Change Materials

Phase change materials are attractive as a passive cooling approach since they absorb large amounts of thermal energy during phase transition. But the low heat conductivity is a drawback of the traditional PCMs. Recent studies have shown that the addition of graphene nanoplatelets, carbon nanotubes, expanded graphite, CuO nanoparticles, Al₂O₃ nanoparticles and hybrid nanostructures can vastly improve the heat transfer properties. Nano-enhanced PCM systems provide:

- Fast heat absorption
- Improved thermal conductivity
- Better temperature uniformity
- Lower peak battery temp
- Enhanced thermal storage ability

The integration of nano-enhanced PCM with metallic fins and porous metal foams has emerged as one of the most promising approaches for future battery cooling applications.

3.2 Metal Foam-Assisted Thermal Regulation

Metal foams offer very well interconnected thermal routes for fast heat transfer in PCM materials. Recent research results show that the aluminum foam and copper foam integrated PCM systems could increase the thermal conductivity by 5 times more than the pure PCM systems. The interaction between the metal foam structures and the nano-enhanced PCM leads to a multi-scale heat transfer network that can control the battery temperature fluctuations during fast charging.



4.0 HYBRID THERMAL MANAGEMENT ARCHITECTURES

4.1 PCM–Liquid Hybrid Cooling Systems:

Hybrid cooling systems, where PCM structures are integrated with liquid cooling, are better than standalone cooling technologies for thermal regulation. Liquid cooling on the other hand continuously takes away heat and PCM absorbs transient thermal loads born from high power operation. This two-in-one device greatly enhances the safety and the performance of charging the battery.

4.2 Heat Pipe–PCM Integrated Systems

Heat pipes rapidly extract heat from hot spots within the battery. Heat pipes in combination with PCM structures allow uniform heat distribution over the thermal storage medium and thus result in better temperature uniformity and smaller thermal gradients.

4.3 Immersion Cooling–PCM Hybrid Systems:

The latest generation of battery cooling technologies combines dielectric immersion cooling with nano enhanced PCM structures. This architecture offers:

- Exceptional thermal stability
- Ultra-fast heat removal
- Improved thermal runaway resistance
- Enhanced fast charging capability

Such systems are expected to play a major role in next-generation electric vehicle battery platforms.

5.0 THERMAL RUNAWAY PREVENTION USING ADVANCED THERMAL BARRIERS:

The primary safety issue associated with lithium-ion battery systems in electric vehicles is thermal runaway which results in excessive heat generation, breakdown of the cell and in worst case scenarios, fire. Specialists are investigating different preventative and protective approaches to improve the safety of the battery to solve this problem. These include the use of fire resistant barriers between cells, materials designed to minimize heat transmission and ceramic based coatings that provide further thermal protection amongst others. Lightweight insulation materials such as aerogels can also be interesting to reduce heat propagation in battery packs and have better thermal resistance. Besides, the development of self-extinguishing cooling medium and advanced fault detection systems have improved the ability to detect and react to abnormal thermal events at early stage. In recent studies, it



has been found that combining aerogel insulation and phase change materials has the advantage of thermal shielding and heat absorption, which can control temperature rise and reduce the risk of thermal spread. Such innovations contribute significantly to the safety, stability and reliability of electric car battery systems.

6. ADVANCED DIGITAL THERMAL MONITORING , BATTERY MANAGEMENT:

Recent developments in battery thermal management led to state-of-the-art digital monitoring and control systems able to continuously monitor battery operating parameters and thermal behavior. The solutions include thermal models, real time sensor measurements and data driven monitoring frameworks for battery safety, reliability and operational efficiency improvements. The digital twin of the battery can be used to continuously monitor the temperature distribution, thermal gradients, charging conditions and the battery health during the vehicle operation. Such devices can provide accurate temperature information and enable an early intervention before critical thermal conditions arise. Real-time monitoring technologies are useful since they:

- Continuous temperature surveillance
- Early detection of abnormal thermal behavior
- Improved maintenance scheduling
- Estimation of battery health and remaining service life
- Enhanced charging management

These monitoring systems are expected to become an essential component of future electric vehicle battery packs due to their capability to improve operational safety and optimize thermal performance.

7. SMART THERMAL CONTROL STRATEGIES

Adaptive control methods have been widely applied to control the battery temperature in modern battery thermal management systems under different working situations. These methods adaptively change the cooling performance in response to temperature data, operating parameters, charging rates, and ambient factors. Advanced thermal control systems can detect abnormal operating patterns, predict future thermal conditions, and adjust coolant flow, heat transfer rates, and thermal balancing mechanisms. Such approaches result in better temperature uniformity, lower energy use and better battery reliability.

Recent developments include:

- Adaptive thermal control methods
- Predictive temperature estimation techniques
- Model-based thermal regulation



- Sensor-integrated monitoring systems
- Cloud-connected battery diagnostic platforms

These technologies significantly improve battery safety, operational stability, and charging efficiency while reducing the risk of thermal degradation.

8. THERMAL MANAGEMENT CHALLENGES FOR SOLID-STATE BATTERIES

Solid-state batteries are regarded as a promising alternative to traditional lithium-ion batteries due to their higher energy density, better safety features and longer lifespan. It's a big difficulty to handle the heat well, but there are many benefits. The thermal behavior of solid state batteries is quite different from that of traditional batteries as the characteristics of the electrolyte and the mechanisms of heat generation and material interfaces are different. This means that traditional cooling methods may not be the best option for temperature control.

Future investigations should focus on:

- Interfacial thermal resistance reduction
- Heat accumulation control
- Thermal stress mitigation
- High-rate charging thermal regulation
- Compact cooling system development

Addressing these challenges will be critical for the successful commercialization of solid-state battery technologies in future electric vehicles.

9. RESEARCH GAPS AND FUTURE OPPORTUNITIES

The battery thermal management sector has been developed greatly, there are still many crucial challenges to be resolved. Long term performance and reliability of nano-enhanced phase transition materials is still unknown in particular in long term operating environment and frequent temperature cycling. However, the high costs of installation and maintenance also limit the practical application of immersion cooling systems. Also, effective temperature control in low temperature situations is still a big concern as cold conditions can affect battery efficiency and capacity. Another aim is to prevent thermal runaway and its propagation in the battery packs for further improving the overall safety. More accurate and reactive thermal management requires the integration of real time temperature monitoring and intelligent control techniques. The development of environmentally benign dielectric cooling fluids with great thermal performance is becoming increasingly important due to environmental concerns. In this context, solid-state batteries represent a promising energy storage technology which requires dedicated thermal management activities due to specific working qualities. There is still a need for new



thermal material design that can operate long term and recover from thermal stress. Future studies should aim at the design of integrated thermal management systems utilizing advanced materials, hybrid cooling approaches, compact heat dissipation technologies and smart monitoring frameworks to optimize battery efficiency, safety, reliability and life expectancy.

10. CONCLUSIONS

Precise temperature control is an important factor for performance, safety and lifetime of electric car battery system. With advances in battery technology for higher energy density and faster charging, thermal management becomes increasingly important. It discusses thermal management approaches, including nano-enhanced materials, smart thermal control and thermal runaway mitigation. Results of this work demonstrate the effectiveness of nano-enhanced phase change materials, complex heat transfer elements and hybrid cooling systems to control the temperature of batteries and improve the temperature distribution in battery packs. These features also help reduce heat stress, improve energy efficiency and extend battery life. Real-time monitoring systems and sophisticated control algorithms also allow better thermal management of the battery under a variety of operating and environmental conditions. One of the critical issues is the safety of batteries, especially for the growing application of high capacity lithium ion batteries . Avoiding the thermal runaway and mitigation strategies such as thermal barriers, fault detection systems and improved cooling systems are important to avoid safety concerns and improve the system reliability. New ways to improve battery thermal management include novel compact cooling architectures, green cooling fluids and revolutionary thermal materials. Further work in this direction is expected to lead to more efficient and stable battery systems for future electric cars. Innovative materials and efficient cooling methods and intelligent thermal management concepts enable the safe operation of next generation electric mobility systems and improve the performance and lifetime of batteries.

References

- [1] F. Akkus and M. Z. Isik, "A review of thermal management systems of lithium-ion batteries used in electric vehicles," *Journal of Traffic and Transportation Engineering*, vol. 12, no. 6, pp. 1763–1783, 2025.
- [2] A. Awasthi, N. Nirmalkar, and A. K. Tiwari, "A review of PCM-based hybrid battery thermal management systems," *Future Batteries*, vol. 5, pp. 100035, 2025.
- [3] M. Waseem, T. R. Rao, and K. S. Reddy, "Advances and perspectives of battery thermal management cooling techniques," *Future Batteries*, vol. 7, pp. 100096, 2025.



- [4] M. Murugan, P. V. Elumalai, and K. C. K. Vijayakumar, "Comprehensive review of thermal management methods for EV battery packs," *Energy Science & Engineering*, vol. 13, pp. 1011–1036, 2025.
- [5] L. D. Tai, K. S. Garud, S. G. Hwang, and M. Y. Lee, "Advanced battery thermal management systems for fast-charging electric vehicles," *Batteries*, vol. 10, no. 372, 2024.
- [6] A. Alawi, A. Saeed, M. H. Sharqawy, and M. Al Janaideh, "Thermal management challenges in lithium-ion batteries: Recent developments and future perspectives," *Batteries*, vol. 11, no. 275, 2025.
- [7] S. Shelare, K. Aglawe, and M. Dhande, "Battery thermal management systems: Recent progress and limitations," *MATEC Web of Conferences*, vol. 405, 2024.
- [8] P. Tete, M. M. Gupta, and S. Joshi, "Recent developments in battery thermal management systems for electric vehicles," *Journal of Energy Storage*, vol. 35, pp. 102255, 2021.
- [9] D. Dan, Y. Zhao, M. Wei, and X. Wang, "Review of thermal management technology for electric vehicles," *Energies*, vol. 16, no. 4693, 2023.
- [10] S. El Afia, A. Cano, P. Arévalo, and F. Jurado, "Thermal energy management technologies for electric vehicles: Recent advances and opportunities," *Energies*, vol. 17, no. 5634, 2024.